









PROTECT YOUR GREATEST ASSET ... YOUR WORKERS

As a major manufacturer of work wear garments, Bisley Workwear is committed to the continual development of clothing that delivers OH & S innovation.

In recognition of the relevant safety requirements for workers in general and hazardous environments, Bisley has developed a range of protective fabrics and treatments that ensure compliance and risk reduction.

Please contact our sales team about our R & D on combining the enclosed fabrics and treatments, including waterproof possibilities to meet your garment requirements.

For more Bisley Workwear products, visit our website www.bisleyworkwear.com.au

CONTENTS			
OUR PROTECT	IVE FABRIC TECHNOLOGIES		
	BISICY (IN PROPERTY OF THE PRO	4	
	Bisley (S) ANTI STATIC WEAR	5	
	BISLEY	6	
	MIT BACTERIAL TO A STATE OF THE	7	
COVERALLS			
	Indura [®] Ultra Soft [®] Flame Resistant Coveralls	8	
	Flame Resistant Coveralls	9	
	Insect Protection Coveralls	10	
	Flame Resistant Insect Protection Coveralls	11	
SHIRTS			
	Indura® Ultra Soft® Flame Resistant Shirts	12	
	Flame Resistant Shirts	14	
	Insect Protection Shirts	18	
	Flame Resistant Insect Protection Shirts	23	
PANTS			
	Indura® Ultra Soft® Flame Resistant Pants	25	
	Flame Resistant Pants	26	
	Insect Protection Pants	28	
	Flame Resistant Insect Protection Pants	33	
JACKETS & KNIT	TWEAR		
	Indura [®] Ultra Soft [®] Flame Resistant Jackets	35	
	Flame Resistant & Water Resistant Jackets	36	
	Socks	38	
SIZE CHART		38	
OIGE VIIAIII			
SYMBOL INFORM	MATION	39	





Bisley Flame Resistant Fabrics

Bisley Flame Resistant garments are made from fabrics that comply with worldwide standards, to protect the wearer in risk environments. The fabric range fulfils measures such as durability, comfort, protection, weight and price.



Industries

Oil, Gas, Petrochemical & Chemical, Electrical, Molten Metal, Welding, Wildland Fire fighting etc.

- Comply with Australian & New Zealand Standards:
- AS2919, AS/NZS4399 & 1020
- Hi Visibility AS/NZS4602 & 1906 (Class D, D/N & N)
- ✓ Comply with European Standards:
- EN340, 1149-3 & 13034
- EN/ISO11612 & 11611
- REACH Certified
- ✓ Comply with US Standards:
- NFPA70E, 2112, 1977
- OSHA 1910.269
- ✓ Comply with International Standards:
- IEC/ISO61482-2 (Class 1)
- ASTM F1506, F1002, F1959/F 1959Mw06ae1
- ✓ 3M 8935 Branded flame resistant taping

- ✓ Comply with OEKO-TEX 100:
- Class II (Safe to wear against skin)
- **✓** Comply with HRC & ATPV Ratings:
- HRC 0, 1 & 2
- ATPV Range 6 9
- Guaranteed flame resistant for the life of the garment
- ✓ Low Formaldehyde levels
- ✓ Protection against arc flash, flash fire, molten metal, radiant heat, contact heat, and limited chemical splash
- ✓ Cotton blend fabrics allow a range of fabric styles, colour options and weights, where heat stress is an issue

*Standard compliance varies by garment style

Wash and Care Instructions



Maximum washing temperature 60°C Alkaline based detergent recommended

Tumble dry on lower temperature

Do not dry clean



Do not soak, bleach or wring



Iron at maximum sole plate temperature of 150°C

Bisley Anti Static Fabrics

- Bisley Anti Static Fabrics provide a solution for a broad range of risk environments when exposed to electrostatic charges.
- Woven into the fabric of the garment, the anti static properties ensure a high level of protection, durability and comfort.
- Surface resistivity significantly reduces risk in explosive environments.



- ✓ Eliminate the build up of static electricity
- ✓ Contain Negastatic thread which actively dissipates electrical charge before accumulation
- ✓ Suitable for petrochemical, electrical and high risk flammable environments
- Can be incorporated into wet weather or dry weather garments
- Encapsulated into the yarn to avoid the abrasive process of wash, wear and tear
- ✓ Comply with Australian/New Zealand Standard:
 - AS/NZS 1020:1995



Wash and Care Instructions



Maximum washing temperature 60°C Alkaline based detergent recommended



Do not soak, bleach or wring



Tumble dry on lower temperature

Do not dry clean



Iron at maximum sole plate temperature of 150°C





Bisley Insect Protection Fabrics

Based on scientific estimates, at present one person out of six has been infected with insect transmitted diseases. According to the information of US health control centres, from the 17th to the early 20th century, more cases of illness and death were caused by these than all other causes together.



- **✓** Comply with NATO Standard TL8305
 - Permitherin content measurement
- Insect knock down rates
- ✓ Tested using World Health Organisation (WHO) recommendations
- ✓ Comply with Cytotoxicity testing which measures the potential for skin irritation
 - DIN EN ISO 10993-1: 2003-12
 - DIN EN ISO 10993-5: 1999-11
- DIN EN ISO 10993-12: 2005-03
- **✓** Comply with OEKO-TEX 100:
- Class I-IV (Harmless to human health)
- ✓ Non-toxic to humans, safe and odourless

- Superior protection against insect bites, including mosquitoes, ticks, lice and bed bugs.
- ✓ Protection for up to 100 washes
- ✓ 100% knock down rates after contact up to approximately 72 minutes
- ✓ No repetition of treatment necessary
- ✓ We recommend that exposed skin not covered by Bisley Insect Protective Garments should be protected by an approved insect repellent

Insects and their transmittable diseases



Mosquitoes transmit malaria, dengue fever or yellow fever



Fleas host encephalitis germs as well as agents of other diseases



Ticks transmit lyme borreliosis



Tsetse flies transmit sleeping sickness Sand flies can transmit leishmaniasis

Wash and Care Instructions



Maximum washing temperature 60°C Alkaline based detergent recommended



Do not soak, bleach or wring



Tumble dry on lower temperature Do not dry clean



Iron at maximum sole plate temperature of 150°C

* Discontinue use as a repellent garment after 100 washes.

Bisley Anti Bacterial Fabrics









NO ODOUR

NO BACTERIA

NO FUNGI


NO DUST MITES


- Prevent development of unpleasant odours caused by bacteria
- ✓ Work like a built-in deodorant
- ✓ Keep textiles fresh and comfortable
- ✓ Dermatologically tested (DIN ISO 10993-5)
- ✓ Excellent washing resistance, especially on synthetic fibres 20 - 50 washing cycles according to EN ISO 6330 (2A) 60°C

- ✓ Reliable and durable bacteriostatic effect against a broad range of bacteria including MRSA (Methicillin Resistenter Staphylococcus Aureus)
- ✓ Safe for man and environment
- **✓** Comply with OEKO-TEX 100:
 - Class I-IV (Harmless to human health)
- **✓** EPA registered

Fabric Hygiene Function

Fabric without treatment






Wash and Care Instructions

Do not dry clean



Maximum washing temperature 60°C Alkaline based detergent recommended



Do not soak, bleach or wring



Iron at maximum sole plate temperature of 150°C

Indura® Ultra Soft® Flame Resistant Coverall







Style No.	Weight	ATPV	HRC
BC8011	237gsm	8-9	2

FEATURES: Front FR press stud fastening

Elasticated back waist for adjustable fit Left front pen and tool patch pockets Right front security pocket with FR zip Back patch pocket and rear mobile pocket Full gusset cuff

Double layer fabric on knee

Indura® Ultra Soft® Flame Resistant Fabric (301)

(88% Cotton, 12% High Tenacity Nylon)

3M 8935 FR Reflective Tape

SIZES: 77 - 112cm Regular, 87 - 132cm Stout, 74 - 94cm Long

COLOURS:



















BC8107

BC8150

Flame Resistant Coverall







Style No.	Weight	ATPV	HRC
BC8107	250gsm	8-9	2
BC8150	180gsm	6	1

FEATURES:

Front press stud fastening Press stud cuff fastening Right front security pocket 2 angle side pockets Double layer fabric at the knee Back right patch pocket Rear mobile phone pocket

Drill CVC (77% Cotton, 22% Polyester, 1% Negastatic) FABRIC:

SIZES: 77 - 117cm Regular, 92 - 132cm Stout, 74 - 94cm Long

COLOURS:



Orange/Navy (TT02)

(BVEO)



Yellow/Navy (TT01)















Orange/Khaki

BC8001

Indura® Ultra Soft® Flame Resistant Hi Vis Taped Coverall







Style No.	Weight	ATPV	HRC
BC8001	237gsm	8-9	2

Front FR press stud fastening

Elasticated back waist for adjustable fit Left front pen and tool patch pockets Right front security pocket with FR zip Back patch pocket and rear mobile pocket Full ausset cuff

Double layer fabric on knee Reflective taping

FABRIC:

Indura® Ultra Soft® Flame Resistant Fabric (301) (88% Cotton, 12% High Tenacity Nylon) 3M 8935 FR Reflective Tape

SIZES:

77 - 112cm Regular, 87 - 132cm Stout, 74 - 94cm Long

COLOURS:

Orange/Navy (TT02) Orange (BVEO)



Yellow/Navy





BC8107T

BC8150T

Flame Resistant Hi Vis Taped Coverall







Style No.	Weight	ATPV	HRC
BC8107T	250gsm	8-9	2
BC8150T	180gsm	6	1

FEATURES: Front press stud fastening Press stud cuff fastening Right front security pocket 2 angle side pockets Double layer fabric at the knee Back right patch pocket Rear mobile phone pocket Reflective taping

FABRIC: Drill CVC (77% Cotton, 22% Polyester, 1% Negastatic)

3M 8935 FR Reflective Tape

SIZES: 77 - 117cm Regular, 92 - 132cm Stout, 74 - 94cm Long

COLOURS:



Orange/Navy (TT02) Orange



Yellow/Navy























Insect Protection Coverall





Front press stud fastening

Press stud cuff fastening Right front security pocket 2 angle side pockets

Double layer fabric at the knee Back right patch pocket Rear mobile phone pocket

FABRIC: 100% Cotton Preshrunk Drill

WEIGHT: 310gsm VRC6007 190gsm **VRC6718**

77 - 117cm Regular, 92 - 132cm Stout, 74 - 94cm Long SIZES:

COLOURS:



Orange/Navy (TT02)

Orange

(BVEO)





(BPCT)



Orange/Khaki (TT15)





















VRC6718T

Insect Protection Hi Vis Taped Coverall



VRC6007T

10



FEATURES: Front press stud fastening Press stud cuff fastening Right front security pocket 2 angle side pockets Double layer fabric at the knee Back right patch pocket Rear mobile phone pocket Reflective taping

FABRIC:

100% Cotton Preshrunk Drill

3M Reflective Tape

WEIGHT: 310gsm VRC6007T

190gsm **VRC6718T**

Orange (BVEO)

SIZES:

77 - 117cm Regular, 92 - 132cm Stout, 74 - 94cm Long

COLOURS:



Orange/Navy (TT02)







Orange/Khaki (TT15)

Navy (BPCT)



VRC8107

VRC8150

Flame Resistant Insect Protection Coverall









Style No.	Weight	ATPV	HRC
VRC8107	250gsm	8-9	2
VRC8150	180gsm	6	1

FEATURES:

Front press stud fastening Press stud cuff fastening Right front security pocket 2 angle side pockets Double layer fabric at the knee Back right patch pocket Rear mobile phone pocket

FABRIC: Drill CVC (77% Cotton, 22% Polyester, 1% Negastatic)

SIZES: 77 - 117cm Regular, 92 - 132cm Stout, 74 - 94cm Long

COLOURS:



Orange (BVEO)



Yellow/Navy (TT01)



(BPCT)













Orange/Khaki

VRC8107T

VRC8150T

Flame Resistant Insect Protection Hi Vis Taped Coverall









HRC **ATPV** Style No. VRC8107T 250gsm 8-9 2 VRC8150T 180gsm

FEATURES: Front press stud fastening Press stud cuff fastening Right front security pocket 2 angle side pockets Double layer fabric at the knee Back right patch pocket Rear mobile phone pocket Reflective taping

FABRIC: Drill CVC (77% Cotton, 22% Polyester, 1% Negastatic)

3M 8935 FR Reflective Tape

SIZES: 77 - 117cm Regular, 92 - 132cm Stout, 74 - 94cm Long

COLOURS:



Orange/Navy (TT02) Orange

(BVEO)



Navy

Yellow/Navy



















Indura® Ultra Soft® Flame Resistant Closed Front Shirt







Style No.	Weight	ATPV	HRC
BS8012	237gsm	8-9	2

FEATURES: 2 piece contrast collar

Half closed placket with FR buttons Left pocket with pen division Twin flap pockets


Full gusset cuff


Indura® Ultra Soft® Flame Resistant Fabric (301) FABRIC:

(88% Cotton, 12% High Tenacity Nylon)

S - 6XL SIZES:

COLOURS:





















BS8014

Indura® Ultra Soft® Flame Resistant Open Front Shirt







Style No.	Weight	ATPV	HRC
BS8014	186gsm	8-9	2

FEATURES: 2 piece contrast collar

Open placket with FR buttons Left pocket with pen division Twin flap pockets

Full gusset cuff

Indura® Ultra Soft® Flame Resistant Fabric (341) FABRIC:

(88% Cotton, 12% High Tenacity Nylon)

SIZES: S - 6XL

COLOURS:

Orange/Navy



























BS8002

Indura® Ultra Soft® Flame Resistant Closed Front Hi Vis Taped Shirt







Style No.	Weight	ATPV	HRC
BS8002	237gsm	8-9	2

FEATURES: 2 piece contrast collar

Half closed placket with FR buttons Left pocket with pen division

Twin flap pockets Full gusset cuff Reflective taping

FABRIC:

Indura® Ultra Soft® Flame Resistant Fabric (301) (88% Cotton, 12% High Tenacity Nylon)

3M 8935 FR Reflective Tape

S - 6XL

COLOURS:

Orange/Navy



Yellow/Navy



(BPCT)























BSC8110

Flame Resistant Closed Front Shirt







Style No.	Weight	ATPV	HRC
BSC8120	250gsm	8-9	2
BSC8110	180gsm	6	1

2 piece contrast collar 1/2 closed placket Twin flap pockets Left pocket with pen division

2 button adjustable cuff

FABRIC:

Drill CVC (77% Cotton, 22% Polyester, 1% Negastatic)

SIZES:

XS - 6XL

COLOURS:



Orange

(BVEO)





Yellow/Navy



Orange/Khaki (TT15)











BSCL8120 BSCL8110

Ladies Flame Resistant Closed Front Shirt







Style No.	Weight	ATPV	HRC
BSCL8120	250gsm	8-9	2
BSCL8110	180gsm	6	1

FEATURES: 2 piece contrast collar 1/2 closed placket Twin flap pockets Left pocket with pen division

2 button adjustable cuff

8 - 24

Drill CVC (77% Cotton, 22% Polyester, 1% Negastatic)

COLOURS:

FABRIC:

SIZES:

Orange/Navy (TT02)

Yellow/Navy (TT01)





BSC8120T

BSC8110T

Flame Resistant Closed Front Hi Vis Taped Shirt







Style No.	Weight	ATPV	HRC
BSC8120T	250gsm	8-9	2
BSC8110T	180gsm	6	1

2 piece contrast collar 1/2 closed placket Twin flap pockets

Left pocket with pen division 2 button adjustable cuff Reflective taping

FABRIC:

Drill CVC (77% Cotton, 22% Polyester, 1% Negastatic)

3M 8935 FR Reflective Tape

SIZES: XS - 6XL

COLOURS:





















BSCL8120T BSCL8110T

Ladies Flame Resistant Closed Front Hi Vis Taped Shirt







Style No.	Weight	ATPV	HRC
BSCL8120T	250gsm	8-9	2
BSCL8110T	180gsm	6	1

FEATURES: 2 piece contrast collar 1/2 closed placket Twin flap pockets Left pocket with pen division 2 button adjustable cuff Reflective taping

FABRIC:

Drill CVC (77% Cotton, 22% Polyester, 1% Negastatic) 3M 8935 FR Reflective Tape

SIZES:

COLOURS:

8 - 24

















14

BS8110

Flame Resistant Open Front Shirt







Style No.	Weight	ATPV	HRC
BS8120	250gsm	8-9	2
BS8110	180gsm	6	1

2 piece contrast collar

Twin flap pockets

Orange

(BVEO)

Left pocket with pen division 2 button adjustable cuff

FABRIC: Drill CVC (77% Cotton, 22% Polyester, 1% Negastatic)

SIZES: XS - 6XL

COLOURS:

(TT02)

Orange/Navy

Yellow/Navy Navy (BPCT)

Orange/Khaki













BSL8120T

BS8120T

BSL8110T

BS8110T

Flame Resistant Open Front Hi Vis Taped Shirt

Ladies Flame Resistant Open Front Hi Vis Taped Shirt





Style No.

BS8120T

BS8110T

2 piece contrast collar

Left pocket with pen division

3M 8935 FR Reflective Tape

Orange/Navy

(TT02)

Orange (BVEO)

2 button adjustable cuff Reflective taping

Twin flap pockets

XS - 6XL

FEATURES:

FABRIC:

SIZES:

COLOURS:

Weight

250gsm

180gsm

Drill CVC (77% Cotton, 22% Polyester, 1% Negastatic)



Bisley

ATPV

8-9

6

Yellow/Navy

FEATURING

3M Scotchlite
Reflective Material

Sun Protection

INDUSTRIAL

FLAME RESISTANT

(TT01)

(BPCT)

HRC

2

Orange/Khaki

(TT15)

Style No.	Weight	ATPV	HRC
BSL8120T	250gsm	8-9	2
BSL8110T	180gsm	6	1

FEATURES: 2 piece contrast collar Twin flap pockets

Left pocket with pen division 2 button adjustable cuff Reflective taping

FABRIC: Drill CVC (77% Cotton, 22% Polyester, 1% Negastatic)

3M 8935 FR Reflective Tape

SIZES: 8 - 24

COLOURS: Orange/Navy (TT02)



Yellow/Navy







BSL8120

BSL8110

Ladies Flame Resistant Open Front Shirt







Style No.	Weight	ATPV	HRC
BSL8120	250gsm	8-9	2
BSL8110	180gsm	6	1

FEATURES: 2 piece contrast collar Twin flap pockets

Left pocket with pen division 2 button adjustable cuff

FABRIC: Drill CVC (77% Cotton, 22% Polyester, 1% Negastatic)

SIZES: 8 - 24

COLOURS:

Orange/Navy (TT02)

Yellow/Navy (TT01)

















16

VRS6340

Insect Protection Open Front Shirt





2 piece contrast collar

Twin flap pockets Left pocket with pen division 2 button adjustable cuff

100% Cotton Preshrunk Drill FABRIC:

190gsm VRS6267 WEIGHT: 155gsm VRS6340

SIZES: XS - 6XL

COLOURS:

Orange/Navy (TT02)

(BVEO)



Yellow/Navy (TT01) Navy

(BPCT)



















VRS6340T

Insect Protection Open Front Hi Vis Taped Shirt





FEATURES: 2 piece contrast collar Twin flap pockets Left pocket with pen division 2 button adjustable cuff Reflective taping

FABRIC:

100% Cotton Preshrunk Drill

3M Reflective Tape

WEIGHT:

190gsm **VRS6267T** 155gsm VRS6340T

XS - 6XL SIZES:


COLOURS:



Orange (BVEO)



Yellow/Navy (TT01)























VRSL6267

VRSL6340

Ladies Insect Protection Open Front Shirt





FEATURES: 2 piece contrast collar Twin flap pockets Left pocket with pen division 2 button adjustable cuff

FABRIC: 100% Cotton Preshrunk Drill

WEIGHT: 190gsm VRSL6267 **VRSL6340** 155gsm

SIZES: 8 - 24

COLOURS:

Orange/Navy (TT02)



Yellow/Navy

VRSL6267T VRSL6340T

Ladies Insect Protection Open Front Hi Vis Taped Shirt





FEATURES: 2 piece contrast collar


Twin flap pockets Left pocket with pen division 2 button adjustable cuff Reflective taping

FABRIC: 100% Cotton Preshrunk Drill 3M Reflective Tape

190gsm **VRSL6267T** WEIGHT: VRSL6340T 155gsm

SIZES: 8 - 24

COLOURS:





























18

Insect Protection Business Shirt





FEATURES: Button down collar

> Single left chest pocket 2 button adjustable cuff

Centre back box pleat with locker loop

FABRIC: CVC Cotton Polyester 45x45, 120x70

(55% Cotton Poplin, 45% Polyester)

WEIGHT: 110gsm

SIZES: S - 6XL

COLOURS:

(BWHT)

VRS76407

Insect Protection Chambray Shirt





FEATURES: Button down collar

2 open pockets with button Left pocket with pen division

Centre back box pleat with stitching detail

Back locker loop Contrast stitching

FABRIC: 100% Cotton Chambray

WEIGHT: 130gsm

XS - 6XL SIZES:

COLOURS:

Blue (BBYD)



VRSL6801

Ladies Insect Protection Business Shirt





FEATURES: Regular Collar

Single left chest pocket 2 button adjustable cuff Hidden button place Back panelling

Curved hem

FABRIC: CVC Cotton Polyester 45x45, 120x70

(55% Cotton Poplin, 45% Polyester)

110gsm WEIGHT:

SIZES: 8 - 24

COLOURS: White

(BWHT)

VRSL76407

Ladies Insect Protection Chambray Shirt





FEATURES: Button down collar

2 open pockets with button Left pocket with pen division Single button up cuff

Partially stitched inverted back pleat

Contrast stitching Curved hem

FABRIC: 100% Cotton Chambray

WEIGHT: 130gsm

SIZES: 8 - 24

COLOURS:



Blue (BBYD)





20

Insect Protection Work Shirt





FEATURES: 2 piece collar

2 pleated pockets with button down flaps

Left pocket with pen division 2 button adjustable cuff Centre back box pleat

FABRIC: 100% Cotton Preshrunk Drill

WEIGHT: 190qsm VRS6433 155gsm **VRS6344**

XS - 6XL

Khaki **COLOURS:**

(BCDR)





VRS8110

Flame Resistant Insect Protection Open Front Shirt









Style No.	Weight	ATPV	HRC
VRS8120	250gsm	8-9	2
VRS8110	180gsm	6	1

2 piece contrast collar

Twin flap pockets

Left pocket with pen division 2 button adjustable cuff

FABRIC: Drill CVC (77% Cotton, 22% Polyester, 1% Negastatic)

SIZES: XS - 6XL

COLOURS: Orange/Navy

(TT02) Orange

(BVEO)

Yellow/Navy (TT01)

(BPCT)

Orange/Khaki (TT15)





















VRSL6339

VRSL6344

Ladies Insect Protection Work Shirt





FEATURES: 2 piece collar

Twin button down flap pockets Left pocket with pen division

Triple stitched on yoke and arm holes

Twin darts Double button cuff

FABRIC: 100% Cotton Preshrunk Drill

190gsm VRSL6339 WEIGHT: VRSL6344

155gsm 8 - 24

COLOURS:

SIZES:

Khaki (BCDR)

VRSL8120

VRSL8110

Ladies Flame Resistant Insect Protection Open Front Shirt









Style No.	Weight	ATPV	HRC
VRSL8120	250gsm	8-9	2
VRSL8110	180gsm	6	1

FEATURES: 2 piece contrast collar

Twin flap pockets

Left pocket with pen division 2 button adjustable cuff

FABRIC: Drill CVC (77% Cotton, 22% Polyester, 1% Negastatic)

SIZES: 8 - 24

COLOURS:

Orange/Navy























Flame Resistant Insect Protection Open Front Hi Vis Taped Shirt









Style No.	Weight	ATPV	HRC
VRS8120T	250gsm	8-9	2
VRS8110T	180gsm	6	1

2 piece contrast collar

Twin flap pockets

Left pocket with pen division 2 button adjustable cuff Reflective taping

FABRIC: Drill CVC (77% Cotton, 22% Polyester, 1% Negastatic)

3M 8935 FR Reflective Tape

SIZES: XS - 6XL

COLOURS:



Orange

(BVEO)

























Orange/Khaki

VRSL8120T VRSL8110T

Ladies Flame Resistant Insect Protection Open Front Hi Vis Taped Shirt









Style No.	Weight	ATPV	HRC
VRSL8120T	250gsm	8-9	2
VRSL8110T	180gsm	6	1

FEATURES: 2 piece contrast collar Twin flap pockets Left pocket with pen division 2 button adjustable cuff Reflective taping

FABRIC:

Drill CVC (77% Cotton, 22% Polyester, 1% Negastatic) 3M 8935 FR Reflective Tape

SIZES: 8 - 24

COLOURS:

Orange/Navy (TT02)



Yellow/Navy









BP8010

Indura® Ultra Soft® Flame Resistant Drill Pant







Style No.	Weight	ATPV	HRC
BP8010	237gsm	8-9	2

FEATURES: Coin pocket in waistband

FR YKK nylon zip 2 angled side pockets

Mobile phone pocket right side

Back patch pocket Single front pleats

FABRIC:

Indura® Ultra Soft® Flame Resistant Fabric (301) (88% Cotton, 12% High Tenacity Nylon)

SIZES:

77 - 112cm Regular, 87 - 132cm Stout, 74 - 94cm Long

COLOURS:











BP8000

Indura® Ultra Soft® Flame Resistant Hi Vis Taped Drill Pant







Style No.	Weight	ATPV	HRC
BP8000	237gsm	8-9	2

FEATURES: Coin pocket in waistband FR YKK nylon zip 2 angled side pockets

Mobile phone pocket right side Back patch pocket

Single front pleats Reflective taping

FABRIC: Indura® Ultra Soft® Flame Resistant Fabric (301)

(88% Cotton, 12% High Tenacity Nylon) 3M 8935 FR Reflective Tape

SIZES: 77 - 112cm Regular, 87 - 132cm Stout, 74 - 94cm Long













24

BP8130

Flame Resistant Drill Pant







Style No.	Weight	ATPV	HRC
BP8140	250gsm	8-9	2
BP8130	180gsm	6	1

FEATURES: YKK zip

> Coin pocket in waistband Single front pleats 2 angle side pockets Back patch pockets

Mobile phone pocket on right side

FABRIC: Drill CVC (77% Cotton, 22% Polyester, 1% Negastatic)

SIZES: 77 - 112cm Regular, 87 - 132cm Stout, 74 - 94cm Long

COLOURS:











BP8140T

BP8130T

Flame Resistant Hi Vis Taped Drill Pant







Style No.	Weight	ATPV	HRC
BP8140T	250gsm	8-9	2
BP8130T	180gsm	6	1

FEATURES: YKK zip

> Coin pocket in waistband Single front pleats 2 angle side pockets Back patch pockets

Mobile phone pocket on right side

Reflective taping

Drill CVC (77% Cotton, 22% Polyester, 1% Negastatic) FABRIC:

3M 8935 FR Reflective Tape

SIZES: 77 - 112cm Regular, 87 - 132cm Stout, 74 - 94cm Long

COLOURS:





Navy







BPL8140

BPL8130

Ladies Flame Resistant Drill Pant







Style No.	Weight	ATPV	HRC
BPL8140	250gsm	8-9	2
BPL8130	180gsm	6	1

FEATURES: YKK zip

Key loop on waistband Single front pleats 2 angle side pockets Back patch pockets

Mobile phone pocket on right side

FABRIC: Drill CVC (77% Cotton, 22% Polyester, 1% Negastatic)

SIZES: 6 - 24

COLOURS:







BPL8140T

BPL8130T

Ladies Flame Resistant Hi Vis Taped Drill Pant







Style No.	Weight	ATPV	HRC
BPL8140T	250gsm	8-9	2
BPL8130T	180gsm	6	1

FEATURES: YKK zip

Key loop on waistband Single front pleats 2 angle side pockets Back patch pockets Mobile phone pocket on right side

Reflective taping

Drill CVC (77% Cotton, 22% Polyester, 1% Negastatic) FABRIC:

3M 8935 FR Reflective Tape

SIZES: 6 - 24



Orange













VRP6007

Insect Protection Drill Pant





FEATURES: YKK zip

Coin pocket in waistband Single front pleats 2 angle side pockets Back patch pockets

Mobile phone pocket on right side

FABRIC: 100% Cotton Preshrunk Drill

WEIGHT: 310gsm

SIZES: 77 - 112cm Regular, 87 - 132cm Stout, 74 - 94cm Long

COLOURS:

Navy (BPCT)











VRP6007T

Insect Protection Hi Vis Taped Drill Pant





FEATURES: YKK zip

Coin pocket in waistband Single front pleats 2 angle side pockets Back patch pockets

Mobile phone pocket on right side

Reflective taping

FABRIC: 100% Cotton Preshrunk Drill

3M Reflective Tape

WEIGHT: 310gsm

SIZES: 77 - 112cm Regular, 87 - 132cm Stout, 74 - 94cm Long

COLOURS:



Orange (BVEO)















VRPL6007

Ladies Insect Protection Drill Pant





FEATURES: YKK zip

Key loop on waistband Back patch pockets

FABRIC:

(BPCT)

VRPL6007T

Ladies Insect Protection Hi Vis Taped Drill Pant





FEATURES: YKK zip

Key loop on waistband Single front pleats 2 angle side pockets Back patch pockets

Mobile phone pocket on right side

Reflective taping

FABRIC: 100% Cotton Preshrunk Drill

3M Reflective Tape

WEIGHT: 310gsm

SIZES: 6 - 24 COLOURS:

Orange (BVEO)




(BPCT)









Single front pleats 2 angle side pockets

Mobile phone pocket on right side

100% Cotton Preshrunk Drill

WEIGHT: 310gsm SIZES: 6 - 24









VRPC6007

Insect Protection Cargo Pant





FEATURES:

YKK Zip Adjustable side tab with belt loops

2 angled side pockets 2 side welt pockets

2 side cargo pockets with touch tape flaps 2 back flat pockets with touch tape flaps

FABRIC: 100% Cotton Preshrunk Drill

WEIGHT: 310gsm

77 - 112cm Regular, 87 - 132cm Stout, 74 - 94cm Long SIZES:

COLOURS:

Navy (BPCT)











Insect Protection Denim Jean





FEATURES: Regular Ladies fit 5 Pocket jean with belt loops

YKK zip

Reinforced rivet stress points Double Stitched seams Stone wash finish

FABRIC: 100% Cotton (Denim)

390gsm WEIGHT:

77 - 112cm Regular, 87 - 132cm Stout, 74 - 94cm Long SIZES:

COLOURS:









Ladies Insect Protection Denim Jean





FEATURES: Regular Ladies fit

5 Pocket jean with belt loops

YKK zip

Reinforced rivet stress points Double Stitched seams Stone wash finish

100% Cotton (Denim) FABRIC:

WEIGHT: 390gsm

SIZES: 8 - 24







Insect Protection Chino Pant





FEATURES: YKK zip

> Twin front pleats Hidden coin pocket Angled side entry pockets 2 back buttoned welt pockets Button over front fastening

Tailored finish

FABRIC: 100% Cotton Chinos, post cured, oven baked & wrinkle resistant

WEIGHT: 250gsm

SIZES: 77 - 112cm Regular, 87 - 132cm Stout, 74 - 94cm Long

COLOURS:

Taupe (BCND)



VRP8133

Flame Resistant Insect Protection Drill Pant









Style No.	Weight	ATPV	HRC
VRP8144	250gsm	8-9	2
VRP8133	180gsm	6	1

FEATURES: YKK zip

Coin pocket in waistband

Single front pleats 2 angle side pockets Back patch pockets

Mobile phone pocket on right side

FABRIC: Drill CVC (77% Cotton, 22% Polyester, 1% Negastatic)

SIZES: 77 - 112cm Regular, 87 - 132cm Stout, 74 - 94cm Long

COLOURS:













VRPL6285

Ladies Insect Protection PV Trousers





FEATURES: Single front pleat

Angled side entry pockets

Tailored finishing

FABRIC: PV (65% Polyester, 35% Viscose)

WEIGHT: 235gsm SIZES: 6 - 24

COLOURS:

Khaki (BCDR)

VRPL8144

VRPL8133

Ladies Flame Resistant Insect Protection Drill Pant









Style No.	Weight	ATPV	HRC
VRPL8144	250gsm	8-9	2
VRPL8133	180gsm	6	1

FEATURES: YKK zip

Key loop on waistband Single front pleats 2 angle side pockets Back patch pockets

Mobile phone pocket on right side

FABRIC: Drill CVC (77% Cotton, 22% Polyester, 1% Negastatic)

SIZES: 6 - 24

COLOURS:

(BPCT)











Flame Resistant Insect Protection Hi Vis Taped Drill Pant









Style No.	Weight	ATPV	HRC
VRP8144T	250gsm	8-9	2
VRP8133T	180gsm	6	1

FEATURES: YKK zip

> Coin pocket in waistband Single front pleats 2 angle side pockets Back patch pockets

Mobile phone pocket on right side

Reflective taping

FABRIC: Drill CVC (77% Cotton, 22% Polyester, 1% Negastatic)

3M 8935 FR Reflective Tape

SIZES: 77 - 112cm Regular, 87 - 132cm Stout, 74 - 94cm Long

COLOURS:













BJ8005

Indura® Ultra Soft® Flame Resistant Drill Jacket







Style No.	Weight	ATPV	HRC
BJ8005	237gsm	8-9	2

FEATURES: YKK zip front opening with storm flap 2 front angled side welt pockets Internal zip pocket left side

Internal pocket right side with touch tape

Adjustable cuff with touch tape

Partial elastic cuff Cotton quilted lining

FABRIC:

SIZES:

COLOURS:

Indura® Ultra Soft® Flame Resistant Fabric (301) (88% Cotton, 12% High Tenacity Nylon)

S - 6XL















Yellow/Navy





VRPL8144T | VRPL8133T

34

Ladies Flame Resistant Insect Protection Hi Vis Taped Drill Pant









Style No.	Weight	ATPV	HRC
VRPL8144T	250gsm	8-9	2
VRPL8133T	180gsm	6	1

FEATURES: YKK zip

Key loop on waistband Single front pleats 2 angle side pockets Back patch pockets Mobile phone pocket on right side

Reflective taping

FABRIC: Drill CVC (77% Cotton, 22% Polyester, 1% Negastatic) 3M 8935 FR Reflective Tape

SIZES: 6 - 24

COLOURS:

Orange (BVEO)



(BPCT)

BJ8005T

Indura® Ultra Soft® Flame Resistant Hi Vis Taped Drill Jacket







Style No.	Weight	ATPV	HRC
BJ8005T	237gsm	8-9	2

YKK zip front opening with storm flap 2 front angled side welt pockets Internal zip pocket left side Internal pocket right side with touch tape Adjustable cuff with touch tape Partial elastic cuff Cotton quilted lining Reflective taping

FABRIC:

Indura® Ultra Soft® Flame Resistant Fabric (301) (88% Cotton, 12% High Tenacity Nylon) 3M 8935 FR Reflective Tape

SIZES:

Orange/Navy **COLOURS:** (TT02)

S - 6XL





Yellow/Navy

















Flame & Water Resistant Drill Jacket







Style No.	Weight	ATPV	HRC
BJ8116	250gsm	8-9	2

FEATURES: YKK zip front opening with storm flap

2 front angled side welt pockets Internal zip pocket left side

Internal pocket right side with touch tape

Adjustable cuff with touch tape

Partial elastic cuff Cotton quilted lining

Water resistant membrane

FABRIC: Drill CVC (77% Cotton, 22% Polyester, 1% Negastatic)

Water Resistant Membrane

SIZES: S - 6XL

COLOURS:



(BVEO)

















BJ8106

Flame Resistant Drill Jacket







Style No.	Weight	ATPV	HRC
BJ8106	250gsm	8-9	2

YKK zip front opening with storm flap

2 front angled side welt pockets Internal zip pocket left side

Internal pocket right side with touch tape

Adjustable cuff with touch tape Partial elastic cuff

Cotton quilted lining

FABRIC: Drill CVC (77% Cotton, 22% Polyester, 1% Negastatic)

SIZES: S - 6XL

COLOURS:

Orange/Navy (TT02) Orange

(BVEO)



Yellow/Navy (TT01) (BPCT)







BJ8116T

Flame & Water Resistant Hi Vis Taped Drill Jacket







Style No.	Weight	ATPV	HRC
BJ8116T	250gsm	8-9	2

FEATURES: YKK zip front opening with storm flap 2 front angled side welt pockets Internal zip pocket left side Internal pocket right side with touch tape Adjustable cuff with touch tape

Partial elastic cuff Cotton quilted lining

Water resistant membrane Reflective taping

FABRIC: Drill CVC (77% Cotton, 22% Polyester, 1% Negastatic)

Water Resistant Membrane

SIZES: S - 6XL

COLOURS:



(BVEO)



Yellow/Navy (TT01)















FEATURING 3M Scotchilite Reflective Material Sun Protection WINDSTRIAL FLAME RESISTANT

BJ8106T

Flame Resistant Hi Vis Taped Drill Jacket







Style No.	Weight	ATPV	HRC
BJ8106T	250gsm	8-9	2

YKK zip front opening with storm flap 2 front angled side welt pockets Internal zip pocket left side Internal pocket right side with touch tape Adjustable cuff with touch tape Partial elastic cuff Cotton quilted lining

Reflective taping FABRIC: Drill CVC (77% Cotton, 22% Polyester, 1% Negastatic)

SIZES: S - 6XL





Yellow/Navy (TT01)



















Insect Protection Anti Bacterial Socks







FEATURES: Superior shaping Extra heel support

> Extra Toe support Extra durable

Nylon for shape control Antibacterial treatment

Reduces risk of fungi and odour

FABRIC: Knit Jersey CVC (80% Cotton, 17% Polyamide, 3% Elastane)

WEIGHT: 220gsm

SIZES: 6 - 10, 11 - 13

COLOURS:

Navv (BPCT)





MENS												
OVERALLS - REGULAR												
o fit waist size - cm	77	82	87	92	97	102	107	112	117			
o fit chest size - cm	85	90	95	100	105	110	115	120	125			
o fit waist size - inches	30	32	34	36	38	40	42	44	46			
o fit chest size - inches	34	36	38	40	42	44	46	48	50			
OVERALLS - STOUT												
o fit waist size - cm				92	97	102	107	112	117	122	127	132
o fit chest size - cm				100	105	110	115	120	125	130	135	140
o fit waist size - inches				36	38	40	42	44	46	48	50	52
o fit chest size - inches				40	42	44	46	48	50	52	54	56
OVERALLS - LONG												
o fit waist size - cm	74	79	84	89	94							
o fit chest size - cm	87	92	97	102	107							
o fit waist size - inches	29	31	33	35	37							
o fit chest size - inches	33	35	37	39	41							
HIRTS												
lize	XS	S	М	L	XL	2XL	3XL	4XL	5XL	6XL		
o fit neck size - cm	36	37/38	39	41/42	43/44	46	48	50	52	54		
o fit chest size - cm	85	90	95	100	105	110	115	120	125	130		
o fit chest size - inches	34	36	38	40	42	44	46	48	50	52		
ANTS - REGULAR												
o fit waist size - cm	77	82	87	92	97	102	107	112				
o fit waist size - inches	30	32	34	36	38	40	42	44				
nner Leg - cm	81	82	82	83	83	84	84	85				
ANTS - STOUT												
o fit waist size - cm			87	92	97	102	107	112	117	122	127	132
o fit waist size - inches			34	36	38	40	42	44	46	48	50	52
nner Leg - cm			78	79	79	80	80	81	81	82	82	83
ANTS - LONG												
o fit waist size - cm	74	79	84	89	94							
o fit waist size - inches	29	31	33	35	37							
nner Leg - cm	83	84	86	87	88							
VOMENS												
HIRTS & PANTS SIZE	6	8	10	12	14	16	18	20	22	24		
o fit bust - cm	80	85	90	95	100	105	110	115	120	125		
To fit waist - cm	60	65	70	75	80	85	90	95	100	105		

100

105

110

115

120

125

130

SYMBOL INFORMATION







The Australian/New Zealand Standards specifies the photometric, colorimetric and physical property requirements for high visibility materials for outdoor daytime use, reflective materials for night use or a combination of both. Bisley Workwear only uses materials that comply with the Australian Standards Industrial Clothing - AS 2919-1987.



HI VIS - SAFETY AS/NZS 4602:1999

Bisley Safetywear garments are tested to ensure they comply with the Australian/New Zealand Standards for High Visibility. The Standard covers the visual requirements for high visibility safety garments worn in situations where they may be exposed to hazards, from moving traffic or within a shared work place.



3M SCOTCHLITE REFLECTIVE MATERIAL

Scotchlite Reflective Silver Fabric is composed of wide angle, exposed retroflective lenses bonded to a durable cloth backing. Please note that the Bisley items that have reflective tape in this catalogue use the 3M 8910 quality, unless otherwise specified. 3M Tape used meets Australian/ New Zealand Standards. Other 3M tapes are available upon requests.



SUN PROTECTION - AS/NZS 4399:1966

Bisley Workwear is tested to Australian/New Zealand Standards for Sun Protective clothing AS/NZS 4399:1996 and can be identified by our special sun protection logo.



INDUSTRIAL CLOTHING - AS 2919-1987

The Australian Standards specifies the design and the performance requirements for industrial Clothing intended primarily for protecting the wearers clothes from dirt, soilage, wear and tear. It does not apply to garments designed for protection from specific hazards such as fire and chemicals.



ANTI STATIC - AS/NZS1020:1995

The Australian/New Zealand standards sets our recommendations for the control of Static Electricity which are generated incidentally by processes or activities which may prove hazardous in certain environments. Bisley Workwear identifies garments that comply with the anti static requirements.



INDURA® ULTRA SOFT®

Bisley Indura® Ultra Soft® garments are guaranteed FR for the life of the garment. Constructed of 88% Cotton and 12% High Tenacity Nylon, a small amount of high tenacity nylon is focused in the face of the fabric to provide enhanced abrasion resistance for an extended garment wear

Holding the stringent OEKE-TEX certification, Bisley Indura® Ultra Soft® garments provide proven performance in both electric arc flash and flash fire. The softer feel enhances comfort characteristics to provide an industry leading balance of Protection, Comfort and Value unsurpassed in the market place today.



FLAME RESISTANT

Bisley Flame Resistant garments are tested to ensure they comply with the Australian/New Zealand as well as world wide standards. Bisley Flame Resistant fabric range fulfils measures such as durability, comfort, protection, weight and price. For further information refer to page 4 in the catalogue.

ATPV

ATPV stands for Arc Thermal Protective Value and refers to the minimum incident energy (in calories per cubic centimetre) that protective equipment can be exposed to and prevent to onset of a second-degree burn. Ratings are based upon the total weight of the fabric. Appropriate clothing ranges from untreated cotton, wool, rayon, or silk materials with a fabric weight of at least 4.5 ounces per square yard to flame retardant (treated) clothing worn in layers.

HRC stands for Hazard Risk Category. The level is determined by the minimum amount of calories per square centimetre (ATPV or Cal/cm²) a treated garment must pass through with a 50% probability of a 2nd or 3rd degree burn occurring, thus the protective level of the treated clothing. The higher the ATPV, the higher the HRC level attained, the greater the



INSECT PROTECTION

Bisley Insect Protection garments are tested to ensure they comply with the Australian/New Zealand as well as world wide standards. Bisley Insect Protection garments are superior protection against Insects and their transmittable diseases, non-toxic to human, safe and odourless. For further information refer to page 6 in the catalogue.

The characteristics of the Australian/New Zealand Standards outlined in this information are only intended to be used as a guide. For a full understanding of the requirements, please refer to the relevant Australian/New Zealand Standards manual found at www.standards.com.au or www.standards.co.nz

To fit hip - cm









